

Devil's Gate Reservoir Restoration Project 2020 Nesting Bird Log

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
ANHU-1	<i>Calypte anna</i>	Anna's hummingbird	2/18/2020	Nest building	Nest is located in willow approximately 40 feet above ground level overhanging a clearing.	4/2/2020	Active	Possibly fledged
						4/10/2020	Inactive	Fledged
ALHU-1	<i>Selasphorus sasin</i>	Allen's hummingbird	2/19/2020	Nest building	Nest is located in eucalyptus approximately 15 feet above ground level overhanging edge of drainage.	4/2/2020	Active	Incubating
						4/16/2020	Inactive	Possibly fledged
						4/27/2020	Inactive	Possibly fledged
BUSH-2	<i>Psaltriparus minimus</i>	Bushtit	2/21/2020	Nest building	A complete nest hanging from the north-east corner of a large eucalyptus tree.	3/24/2020	Active	Incubating
						4/10/2020	Active	Possibly fledged
						4/27/2020	Inactive	Possibly fledged
LEGO-1	<i>Spinus psaltria</i>	Lesser goldfinch	2/24/2020	Nest building	Nest is in tree tobacco north of the path on the west side of the drainage. Less than 5.5 feet above ground level.	4/2/2020	Active	Feeding young
						4/10/2020	Inactive	Fledged
BEWR-1	<i>Thryomanes bewickii</i>	Bewick's wren	3/16/2020	Nest building	Nest is located in debris in fallen willow trunk area.	4/2/2020	Active	Nest failed
						4/18/2020	Inactive	Nest failed
BEWR-2	<i>Thryomanes bewickii</i>	Bewick's wren	3/16/2020	Nest building	Nest is located under leaf litter beneath base of small sycamore tree.	4/2/2020	Active	Possibly fledged
						4/16/2020	Inactive	Possibly fledged
CORA-1	<i>Corvus corax</i>	Common raven	3/17/2020	Nest building	Nest is located beneath dam ledge.	4/2/2020	Active	Nest building
						4/27/2020	Inactive	Nest failed
SOSP-1	<i>Melospiza melodia</i>	Song sparrow	3/31/2020	Feeding young	Nest is located on ground in thick riggut brome.	4/16/2020	Inactive	Nest failed

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
KILL-1	<i>Charadrius vociferus</i>	Killdeer	4/2/2020	Incubating	Scrape is on gravelly slope near the edge of the project boundary approximately 25 feet north of orange barriers between low growing weeds.	4/10/2020	Inactive	Nest failed
CATH-1	<i>Toxostoma redivivum</i>	California thrasher	4/2/2020	Nest building	Nest is located deep inside mulefat shrub less than 3 feet above ground level.	4/20/2020	Active	Possibly fledged
						5/11/2020	Inactive	Possibly fledged
BUSH-5	<i>Psaltriparus minimus</i>	Bushtit	4/2/2020	Nest building	Nest is approximately 30 feet above ground level in southern quadrant of eucalyptus tree.	5/19/2020	Inactive	Possibly fledged
EUST 01	<i>Sturnus vulgaris</i>	European starling	4/27/2020	Possibly incubating	Nest cavity is in wooden power pole east of rock pile. In open area near restoration. Cavity is second hole down from the top just above where powerlines attach to the pole.	N/A	N/A	N/A
HOFI-1	<i>Haemorhous mexicanus</i>	House finch	5/20/2020	Nest building	Nest is 30 feet above ground level in eastern half of tree in mid-level branch that extends toward the trail.	9/28/2020	Inactive	Possibly fledged
BUSH-1	<i>Psaltriparus minimus</i>	Bushtit	2/20/2020	Nest building	Nest is located 45 feet east of path, hanging from a south stretching branch of a large willow. Nest is about eye level.	3/24/2020	Active	Nest building
						4/16/2020	Active	Incubating
						8/5/2020	Inactive	Possibly fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
HOWR-1	<i>Troglodytes aedon</i>	House wren	3/2/2020	Nest building	Nest is located in willow tree. Nest cavity is in a branch that is growing east to west towards the trail. Nest is approximately 7 feet above ground level and 50 feet east of trail.	9/28/2020	Inactive	Possibly fledged
SPTO-1	<i>Pipilo maculatus</i>	Spotted towhee	3/6/2020	Nest building	Pair observed bringing nesting material into shrub.	7/9/2020	Inactive	Possibly fledged
CASJ-1	<i>Aphelocoma californica</i>	California scrub-jay	3/11/2020	Nest building	Nest is located within a mulefat/cottonwood thicket.	9/28/2020	Inactive	Possibly fledged
NUWO-1	<i>Dryobates nuttallii</i>	Nuttall's woodpecker	3/17/2020	Nest building	Nest is in a cavity on the bottom side of a NW pointing branch of a large willow. Willow located 15 feet west of the walking trail.	4/2/2020	Active	Nest building
						4/18/2020	Active	Nest building
						5/18/2020	Active	Feeding young
						9/30/2020	Inactive	Possibly fledged
ANHU-2	<i>Calypte anna</i>	Anna's hummingbird	3/19/2020	Incubating	Nest is located inside mulefat thicket.	9/28/2020	Inactive	Possibly fledged
CALT-1	<i>Melospiza crissalis</i>	California towhee	3/24/2020	Nest building	Nest is located in the north west corner of the oak tree. Nest is approximately 15 feet above ground and approximately 20 feet east of the trail.	9/28/2020	Inactive	Possibly fledged
BUSH-3	<i>Psaltiriparus minimus</i>	Bushtit	3/25/2020	Nest building	Nest is 8 feet above ground level between two small willow trunks south of trail.	4/10/2020	Active	Incubating
						6/1/2020	Inactive	Fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
BUSH-4	<i>Psaltriparus minimus</i>	Bushtit	3/25/2020	Incubating	Nest is located approximately 15 feet above ground level in a willow near the unkept trail. Nest is fully constructed and located on the south side of the willow.	4/10/2020	Active	Feeding young
						9/28/2020	Inactive	Possibly fledged
CLSW-1	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/2/2020	Nest building	Nest is located under dam on south side approximately 50 feet west of eastern most light post and 50 feet above ground level.	4/20/2020	Active	Nest building
						6/11/2020	Active	Feeding young
						8/5/2020	Inactive	Possibly fledged
BUSH-7	<i>Psaltriparus minimus</i>	Bushtit	4/10/2020	Incubating	Nest is 10 feet above ground level on lower north extending branch of coast live oak, approximately 8 feet west of paved park road and 8 feet NW of concrete structure.	4/27/2020	Active	Incubating
						9/28/2020	Inactive	Possibly fledged
BUSH-6	<i>Psaltriparus minimus</i>	Bushtit	4/10/2020	Nest building	Nest is 30 feet above ground level in sycamore amongst clump of seedballs approved 5 feet from end of south-west branch overhanging trail.	4/27/2020	Active	Incubating
						5/11/2020	Active	Feeding young
						7/16/2020	Inactive	Possibly fledged
BLPH-1	<i>Sayornis nigricans</i>	Black phoebe	4/13/2020	Feeding young	Nest is in private backyard under eave.	4/27/2020	Active	Feeding young
						5/19/2020	Active	Feeding young
						6/8/2020	Inactive	Fledged
CLSW-2	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/14/2020	Nest building	Nest is on the underside of an 6th eave over from the gauging station on	6/11/2020	Active	Feeding young

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
					the north side of the dam.	8/5/2020	Inactive	Possibly fledged
CORA-2	<i>Corvus corax</i>	Common raven	4/14/2020	Incubating	Nest is on an eave on the underside of the north end of the dam.	5/19/2020	Active	Feeding young
						6/11/2020	Active	Fledglings close to nest
						8/5/2020	Inactive	Fledged
BUSH-9	<i>Psaltriparus minimus</i>	Bushtit	4/16/2020	Nest building	Nest is located West of wooden electrical pole high in an oak tree.	9/28/2020	Inactive	Possibly fledged
BUSH-8	<i>Psaltriparus minimus</i>	Bushtit	4/16/2020	Nest building	Nest is 25 feet above ground level in south-west portion of 1st pine in branch extending over north curb of dam road.	8/5/2020	Inactive	Possibly fledged
CLSW-3	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/16/2020	Nest building	Nest is located under support pillar just west of dam light on north dam face.	4/27/2020	Active	Nest building
						6/11/2020	Active	Feeding young
						8/5/2020	Inactive	Possibly fledged
NRWS-1	<i>Stelgidopteryx serripennis</i>	Northern right-wing swallow	4/16/2020	Nest building	Nest is located in hole on west facing pillar under central segment of Oak Grove Blvd, about 20 feet below bridge and 6 feet above ledge.	8/5/2020	Inactive	Possibly fledged
CLSW-4	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/16/2020	Nest building	Nest is located on the south side of dam bridge under eaves.	8/5/2020	Inactive	Possibly fledged
ALHU-2	<i>Selasphorus sasin</i>	Allen's hummingbird	4/16/2020	Incubating	Nest is 18 feet above ground level just north of main trunk of oak tree in lowest cluster of leaves.	6/9/2020	Inactive	Fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
BUSH-10	<i>Psaltriparus minimus</i>	Bushtit	4/16/2020	Nest building	Nest is located in oak in branches that are hanging down, about 7 feet above ground level.	6/8/2020	Inactive	Possibly fledged
CALT-2	<i>Melospiza crissalis</i>	California towhee	4/18/2020	Nest building	Nest is approximately 10 feet above ground level in oak tree 20 feet north of trail. Nest is in north-west portion of tree against secondary branch fork near trunk.	6/17/2020	Inactive	Possibly fledged
CASJ-2	<i>Aphelocoma californica</i>	California scrub-jay	4/18/2020	Nest building	Nest is in line oak tree in basin in western portion of tree approximately 20-25 feet above ground level.	5/19/2020	Active	Feeding young
						9/28/2020	Inactive	Possibly fledged
NUWO-2	<i>Dryobates nuttallii</i>	Nuttall's woodpecker	4/20/2020	Nest building	Nest is in east facing double hole of broken elderberry lowest limb on east side of tree.	5/5/2020	Active	Feeding young
						6/22/2020	Inactive	Fledged
BEWR-3	<i>Thryomanes bewickii</i>	Bewick's wren	4/20/2020	Feeding young	Nest is in top of vertical pipe slanting north from base of oak tree 20 feet from railing along Flint Canyon Wash Bridge abutment.	5/5/2020	Active	Fledglings close to nest
						8/5/2020	Inactive	Fledged
ANHU-4	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Nest building	Nest is 20 feet above ground level on south side of sycamore in 2nd to lowest branch on open part of main limb approximately 20 inches from end.	7/16/2020	Inactive	Possibly fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
NRWS-2	<i>Stelgidopteryx serripennis</i>	Northern rough-wing swallow	4/27/2020	Nest building	Nests are in weep holes under oak grove drive bridge.	8/5/2020	Inactive	Possibly fledged
ANHU-5	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Nest building	Nest is located in crook of small willow 15 feet above ground level on north-west side of main trunk.	8/5/2020	Inactive	Possibly fledged
ANHU-6	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Incubating	Nest is 15 feet north-west from GPS point; 23 feet above ground level in single trunk willow with green at top and a little at base. Nest is on north-east side of trunk within 5 inches mixed in with dead leaves.	6/12/2020	Inactive	Possibly fledged
WTSW-1	<i>Aeronautes saxatalis</i>	White-throated swift	4/27/2020	Nest building	Nests are in weep holes under Oak Grove Drive Bridge.	8/5/2020	Inactive	Possibly fledged
CLSW-5	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/27/2020	Nest building	Nest is located under eave on north side of Oak Grove Drive Bridge.	8/5/2020	Inactive	Possibly fledged
LEGO-2	<i>Spinus psaltria</i>	Lesser goldfinch	4/27/2020	Nest building	Nest is 25 feet above ground level AGL on top of broken end of south-west extending branch at interface with project boundary.	5/11/2020	Active	Incubating
						6/12/2020	Inactive	Possibly fledged
NRWS-3	<i>Stelgidopteryx serripennis</i>	Northern rough-winged swallow	4/27/2020	Nest building	Nest is in south facing bank between basin road and Flint Canyon inlet.	5/18/2020	Active	Incubating
						8/5/2020	Inactive	Fledged
CLSW-6	<i>Petrochelidon pyrrhonota</i>	Cliff swallow	4/27/2020	Nest building	Nest is located on the north side of the dam.	8/5/2020	Inactive	Possibly fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
ANHU-7	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Incubating	Nest is in a willow 20 feet west of project boundary.	6/12/2020	Inactive	Possibly fledged
ANHU-8	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Incubating	Nest is located in a willow tree along edge of staked project limits.	5/11/2020	Active	Incubating
						5/18/2020	Active	Incubating
						6/12/2020	Inactive	Possibly fledged
CASJ-3	<i>Aphelocoma californica</i>	California scrub-jay	4/27/2020	Nest building	Nest in west (upslope) side of sumac.	6/22/2020	Inactive	Possibly fledged
BUSH-11	<i>Psaltriparus minimus</i>	Bushtit	4/29/2020	Feeding young	Nest is located southeast of two blue porta potty's that are in south-east corner of baseball field. Nest is 25 feet from portapotty hanging down in oak branch about 8 feet from ground.	9/28/2020	Inactive	Possibly fledged
BEWR-4	<i>Thryomanes bewickii</i>	Bewick's wren	4/30/2020	Nest building	Nest is on east side of oak tree 8 feet west of road edge. Nest is 15 feet above ground level using old stick nest as cavity.	5/18/2020	Active	Feeding young
						8/12/2020	Inactive	Possibly fledged
CASJ-4	<i>Aphelocoma californica</i>	California scrub-jay	5/1/2020	Nest building	Nest is approximately 4 feet above ground level deep in tree tobacco.	5/19/2020	Active	Nest building
						6/8/2020	Inactive	Nest failed
SOSP-2	<i>Melospiza melodia</i>	Song sparrow	5/1/2020	Nest building	Nest is in pepperweed near small group of willow trees (4-5) and 1 cottonwood (south end of group of trees-leaning south) on hillside at edge of basin.	7/23/2020	Inactive	Nest failed

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
SPTO-2	<i>Pipilo maculatus</i>	Spotted towhee	5/1/2020	Feeding young	Nest is located in vegetation to the south (and about 3 feet) from the two stakes at this point.	8/5/2020	Inactive	Possibly fledged
SOSP-3	<i>Melospiza melodia</i>	Song sparrow	5/5/2020	Nest building	Nest is in hemlock and pepper weed on east side of trail at or near ground level.	6/8/2020	Active	Feeding young
						8/5/2020	Inactive	Fledged
ANHU-9	<i>Calypte anna</i>	Anna's hummingbird	5/11/2020	Incubating	Nest is located on south facing willow branch approximately 15 feet above ground level.	6/12/2020	Inactive	Possibly fledged
CALT-3	<i>Melozona crissalis</i>	California towhee	5/11/2020	Nest building	Nest is located 12 feet above ground level in willow foliage in drainage. Nest is on west side of eastern most willow tree in foliage where another willow has fallen into.	6/12/2020	Inactive	Possibly fledged
LEGO-3	<i>Spinus psaltria</i>	Lesser goldfinch	5/11/2020	Nest building	Nest is located near the edge of ESA fence approximately 50 feet above ground level in cluster of willow branch, pair observed nest building.	6/12/2020	Inactive	Possibly fledged
SOSP-4	<i>Melospiza melodia</i>	Song sparrow	5/11/2020	Feeding young	Nest is located in a low willow which straddles the ESA boundary.	7/23/2020	Inactive	Nest failed

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
BUSH-12	<i>Psaltriparus minimus</i>	Bushtit	5/11/2020	Nest building	Nest is located approximately 25 feet up in cottonwood tree, partially built nest.	6/17/2020	Inactive	Possibly fledged
LBVI-1	<i>Vireo bellii pusillus</i>	Least Bell's vireo	5/11/2020	Nest building	Nest is located low in mulefat. Vireo are spending lots of time in small mulefat surrounded by hemlock, pepper weed and mustard.	5/21/2020	Active	Incubating
						6/8/2020	Active	Feeding young
						6/12/2020	Active	Fledglings close to nest
						9/21/2020	Inactive	Fledged
HOWR-2	<i>Troglodytes aedon</i>	House wren	5/12/2020	Feeding young	Nest is located in the back-northeast corner of open area where vegetation starts. Nest is in willow tree with broken branch pointing west.	9/28/2020	Inactive	Possibly fledged
ANHU-10	<i>Calypte anna</i>	Anna's hummingbird	5/18/2020	Nest building	Nest is located approximately 25 feet above ground level on northeast facing branch of willow.	6/12/2020	Inactive	Possibly fledged
BEWR-5	<i>Thryomanes bewickii</i>	Bewick's wren	5/19/2020	Nest building	Nest is located in debris pile at southwest base of willow tree.	6/23/2020	Inactive	Possibly fledged
COYE-1	<i>Geothlypis trichas</i>	Common yellowthroat	5/19/2020	Feeding young	Nest is located within hemlock and mustard.	6/10/2020	Inactive	Possibly fledged
CASJ-5	<i>Aphelocoma californica</i>	California scrub-jay	5/19/2020	Feeding young	Nest is located 10 yards south of point in mule fat.	6/8/2020	Active	Fledglings close to nest
						8/5/2020	Inactive	Fledged
CAQU-1	<i>Callipepla californica</i>	California quail	5/19/2020	Incubating	Nest is top of the "cut" under a cocklebur skeleton and radish.	5/26/2020	Active	Possibly fledged
						5/27/2020	Inactive	Nest failed

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
ANHU-11	<i>Calypte anna</i>	Anna's hummingbird	5/19/2020	Incubating	Nest is located approximately 25 feet above ground level in willow tree on a south-east facing branch.	6/12/2020	Inactive	Possibly fledged
CASJ-6	<i>Aphelocoma californica</i>	California scrub jay	5/19/2020	Nest building	Stick nest is located in elderberry thicket on other side of fence.	9/28/2020	Inactive	Possibly fledged
ANHU-3	<i>Calypte anna</i>	Anna's hummingbird	4/27/2020	Incubating	Nest is located on east facing branch of willow above survey boundary.	6/12/2020	Inactive	Possibly fledged
LEGO-4	<i>Spinus psaltria</i>	Lesser goldfinch	5/19/2020	Incubating	Nest is located at fork in willow tree.	6/12/2020	Inactive	Possibly fledged
HOWR-3	<i>Troglodytes aedon</i>	House wren	5/20/2020	Incubating	Nest is located in mulefat.	8/5/2020	Inactive	Possibly fledged
KILL-2	<i>Charadrius vociferus</i>	Killdeer	5/21/2020	Incubating	Nest is located in rocky wash among gravelly soil. Nest is on top of wash cut within gravel and rocks.	5/26/2020	Inactive	Nest failed
CALT-4	<i>Melospiza crissalis</i>	California towhee	5/21/2020	Incubating	Nest is located approximately 3 feet off ground in emergent willow shrub along edge of ESA.	6/8/2020	Active	Feeding young
						9/28/2020	Inactive	Possibly fledged
BEWR-6	<i>Thryomanes bewickii</i>	Bewick's wren	5/22/2020	Feeding young	Nest is located within emergent non-native vegetation on slope.	6/12/2020	Inactive	Fledged
BUSH-13	<i>Psaltriparus minimus</i>	Bushtit	5/26/2020	Feeding young	Nest is located on east facing oak tree branch approximately 20 feet above ground level.	6/5/2020	Active	Feeding young
						6/9/2020	Inactive	Possibly fledged
SOSP-5	<i>Melospiza melodia</i>	Song sparrow	5/27/2020	Feeding young	Nest is located on slope of ditch area with sparse vegetation.	6/10/2020	Inactive	Fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
CALT-5	<i>Melospiza crissalis</i>	California towhee	5/27/2020	Incubating	Nest is in a hemlock.	6/8/2020	Active	Incubating
						6/18/2020	Active	Feeding young
						7/1/2020	Inactive	Fledged
KILL-3	<i>Charadrius vociferus</i>	Killdeer	5/29/2020	Incubating	Nest is located in reservoir amongst larger gravel.	6/1/2020	Inactive	Nest failed
SOSP-6	<i>Melospiza melodia</i>	Song sparrow	6/1/2020	Incubating	Nest is located at the north end of Altadena Drain.	6/22/2020	Inactive	Possibly fledged
CASJ-7	<i>Aphelocoma californica</i>	California scrub jay	6/1/2020	Fledglings close to nest	Scrub Jay family about 20 feet north of the orange water tank. Adults were bringing food to noisy young birds for the full morning. One of the young was a fledgling, able to get to the top of the mulefat.	8/5/2020	Inactive	Fledged
ANHU-12	<i>Calypte anna</i>	Anna's hummingbird	6/4/2020	Incubating	Nest is located on black willow branch approximately 4 feet above ground level.	6/29/2020	Inactive	Possibly fledged
SOSP-7	<i>Melospiza melodia</i>	Song sparrow	6/11/2020	Incubating	Nest is in poison hemlock about 3 feet from ground.	6/26/2020	Inactive	Possibly fledged
CALT-6	<i>Melospiza crissalis</i>	California towhee	6/16/2020	Incubating	Nest is located in emergent vegetation behind the current ESA fencing and the tall willows that start at the actual ESA fence line.	6/16/2020	Inactive	Nest failed

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
CASJ-7	<i>Aphelocoma californica</i>	California scrub-jay	6/19/2020	Nest building	Nest is located in a mule fat thicket near cottonwoods. Location is approximate.	N/A	N/A	Possibly fledged
BHGB-1	<i>Pheucticus melanocephalus</i>	Black-headed grosbeak	6/22/2020	Nest building	Nest is located 30 feet above ground level in oak tree branch overhanging south side of paved road.	8/5/2020	Inactive	Possibly fledged
COYE-2	<i>Geothlypis trichas</i>	Common yellowthroat	6/22/2020	Incubating	Nest is located low in mustard and emergent vegetation.	7/1/2020	Inactive	Possibly fledged
YEWA-1	<i>Setophaga petechia</i>	Yellow warbler	6/27/2020	Nest building	Nest is in a willow on the west side of the basin.	7/7/2020	Active	Incubating
						7/15/2020	Inactive	Nest failed
COYE-4	<i>Geothlypis trichas</i>	Common yellowthroat	6/30/2020	Feeding young	Nest is located in <i>Conium</i> sp. thicket approximately 10 feet west of mule fat thicket.	7/14/2020	Inactive	Fledged
COYE-3	<i>Geothlypis trichas</i>	Common yellowthroat	7/2/2020	Incubating	Likely an active nest present based on bird behavior but could not be pinpointed. Located in emergent nonnative vegetation.	7/10/2020	Inactive	Nest failed
ACWO-1	<i>Melanerpes formicivorus</i>	Acorn woodpecker	7/10/2020	Feeding young	Nest is located in a very tall thin square-shaped willow directly north of restoration area. Nest near east side of tree about 10 feet down from top.	7/27/2020	Inactive	Fledged
LEGO-5	<i>Spinus psaltria</i>	Lesser goldfinch	7/20/2020	Feeding young	Nest is approximately 12 feet above ground level	8/4/2020	Active	Possibly fledged

Nest ID	Scientific Name	Common Name	Discovery Date	Discovery Stage	Location Description	Updates	Update Status	Update Stage
					in willow tree just west of fence line.	8/10/2020	Inactive	Fledged
LEGO-6	<i>Spinus psaltria</i>	Lesser goldfinch	7/20/2020	Incubating	Nest is located at very top of willow tree along fence line, approximately 35 feet above ground level.	8/4/2020	Active	Feeding young
						8/10/2020	Inactive	Fledged
LEGO-7	<i>Spinus psaltria</i>	Lesser goldfinch	8/3/2020	Feeding young	Nest is located tall in a willow tree adjacent to the project boundary.	8/10/2020	Inactive	Fledged



Location: N:\2014\12-014-003.008 Devils Gate Mitigation Plan\Map\PS\ss_survey_and_mapping\NestingBird\DC_Nesting_Bird_Results_2020_V1.mxd (MAG-mgridry 1/28/2021)

Map Date: 1/27/2021
 Photo Source: ECORP (2020), NAIP (2018)

Figure X. Nest Locations 2020

2014-003.008 Devils Gate Mitigation Plan